



Muro Ultra High Brightness Displays

www.lamasatech.com

in f 



THE BURGER SHACK
DEALS OF THE DAY

DOUBLE PATTY
TWO OF OUR AWARD-WINNING BEEF PATTIES SANDWICHED IN A BAKED-TO-BURN BUN
£ 6.99

CHICKEN WINNER
CHICKEN BURGER MARINATED IN OUR SECRET SAUCE WITH AVACADO AND GARLIC MAYO
£ 6.99

THE PB&J
OUR CLASSIC BEEF PATTY BURGER SMOTHERED IN PEANUT BUTTER AND A CARAMELISED ONION JAM
£ 6.99

BURGER ROULETTE
LET US SURPRISE YOU WITH YOUR ORDER - FOR WHEN YOU'RE FEELING LUCKY
£ 6.99

DELUXE BURGER MEAL
TOPPED WITH ONION RINGS AND OUR SECRET SAUCE
£ 7.99

CHEESY BITES
CHOOSE FROM 6 OR 9 BITES OF HEAVEN!
£ 2.99

HOT HOT WINGS
HONEY AND SRIRACHA HOT WINGS... TRY IF YOU DARE!
£ 4.99



FIRE CLOTHING

SUMMER COLLECTION

@fireclothing

Sunlight readable displays with outstanding visibility

Full HD resolution

Your content will be striking and vivid, thanks to the full HD resolution display and 1200:1 contrast ratio

Brightness sensor

The integrate brightness sensor automatically adapts the screen brightness according to the conditions for an optimal viewing experience

High brightness

Commercial-grade high brightness 3500cd/m² panels ensure content is easily readable in bright sunlight

Super slim bezel

The narrow frame around the display gives your content maximum impact on your audience and provides a modern look and feel



49"/55"/75" screen size options

Choose the perfect display size according to the needs of your environment

Plug and play

Get up and running quickly by loading your content via USB stick or run your digital signage application on the built-in Android media player.

Control your displays remotely

Pair your displays with PeakSignage, our cloud-based digital signage system to manage and update your content remotely

3-year warranty

Built to last, the displays have a 3-year warranty included for your peace of mind

Specifications

Model Muro Ultra High Brightness Window Display

Display	Screen size	49" TFT LED 55" TFT LED 75" TFT LED	
	Display resolution	1920 x 1080	
	Viewing angles	89°/89°/89°/89°	
	Colour depth	16.7M	
	Contrast ratio	1200:1	
	Brightness	3500 cd/m2	
	Display scale	16:9	
	Response time	6ms	
	Built-in player	Operating system	Android 11
		Media format	Video - MP4, AVI, RM/RMVB, MKS, TS, FLV, VOB, MOV, WMV Image - BMP, JPEG, PNG, GIF
Functions	Interface	RJ45, Wi-Fi	
	Built-in speakers	Mini dual speakers	
Other	Input voltage	AC 100V ~ 240V, 50/60HZ	
	Power consumption	≤240W	
	Operating temperature	-10°C ~ 50°C	
	Storage temperature	-20°C ~ 60°C	

Operation humidity 5 ~ 90%

Storage humidity 5 ~ 90%

Lifespan 50,000 hours plus

Product codes







LT-Muro49-ID-UHB **49" Muro Ultra High Brightness Window Display**

LT-Muro55-ID-UHB **55" Muro Ultra High Brightness Window Display**

LT-Muro75-ID-UHB **75" Muro Ultra High Brightness Window Display**





Technical drawings - 49"

All measurements specified are in mm.







Technical drawings - 55"

All measurements specified are in mm.



Technical drawings - 75"

All measurements specified are in mm.



More technology solutions from LamasaTech...


LCD video walls



Visitor sign-in kiosks



Cloud-based digital signage platform



For more information on our digital solutions
please visit www.lamasatech.com



Contact us

UK: +44 (0) 191 622 0725

US: +1 (805) 308-9623

hello@lomasatech.com

lomasatech.com